

# Work Order ID 78967

**\*78967\***

Page 1

January-17-12 2:56:18 PM

Item ID: D3943-051 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Handle Assembly  
 Start Date: 17/01/2012 Start Qty: 4.00 **\*4\*** Cust Item ID:  
 Required Date: 31/01/2012 Req'd Qty: 4.00 **\*4\*** Customer:  
 Reference:

Approvals: Process Plan: M.L.J Date: 12/01/17 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
<b>Draw Nbr</b>	<b>Revision Nbr</b>								
D3943	E								
100	Weld per dwg A/R Steel rod Batch: <u>M118875</u>	0.00							
<b>*100*</b>									
Large Fab	Memo	0.00							
Large Fab	Assemble with handle as per dwg								
110	QC5- Inspect part completeness to step on W/O	0.00							
<b>*110*</b>									
QC	Memo	0.00							
Quality Control									
120	QC9- Inspect visual per QSI004- Fusion Welds	0.00							
<b>*120*</b>									
QC	Memo	0.00							
Quality Control									

⑤

BE 12-5-7

⑤

8-7-10-08

5 ⑤ BE 12-05-08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 78967

**\*78967\***

Page 2

January-17-12 2:56:18 PM

Item ID: D3943-051 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Handle Assembly  
 Start Date: 17/01/2012 Start Qty: 4.00 **\*4\*** Cust Item ID:  
 Required Date: 31/01/2012 Req'd Qty: 4.00 **\*4\*** Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 <b>*130*</b> Powdercoat Powder Coating	Hybrid safety Yellow 4.3.5.12  Memo 1- MASK THREADS PRIOR TO PAINTING AS PER DWG 2- POWDER COAT: 11:50 Start Time: 4000F Oven Temperature: 12:20 Finish Time:	0.00 0.00				5x	0		M-L 12/05/09
140 <b>*140*</b> QC Quality Control	QC3- Inspect Part Finish  Memo	0.00 0.00				5x	6		M 12/05/09
150 <b>*150*</b> Packaging Packaging	Identify as per dwg & Stock Location: W/A  Memo	0.00 0.00				0			12-5-14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 78967****\*78967\***

Page 3

January-17-12 2:56:18 PM

Item ID: D3943-051

Accept

**\*N900040100\***Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Handle Assembly

Start Date: 17/01/2012 Start Qty: 4.00

**\*4\***

Cust Item ID:

Required Date: 31/01/2012 Req'd Qty: 4.00

**\*4\***

Customer:

Reference:

Approvals:

Process Plan: \_\_\_\_\_

Date: \_\_\_\_\_

Tooling: \_\_\_\_\_

Date: \_\_\_\_\_

Run Start **\*NR1\***

QC: \_\_\_\_\_

Date: \_\_\_\_\_

SPC (Y/N): \_\_\_\_\_

Date: \_\_\_\_\_

Stop **\*NR2\***Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

160

QC21- Final Inspection - Work Order Release

0.00


**\*160\***

QC

Memo

0.00

Quality Control

12/5/15   
MF  
12-05-14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

January-17-12 2:56:22 PM

Page 1

Work Order ID: 78967

**\*78967\***

Parent Item: D3943-051

**\*D3943-051\***

Parent Item Name: Handle Assembly

Start Date: 17/01/2012

Required Date: 31/01/2012

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP RevA: add DEO DD 09.11.18 verified by:JLM IPP Rev:B as  
per dwg REV.C DD 10.02.22 verified by:EC IPP REV:C 11.08.16 AS  
PER REV.E DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3943-5

Manufactured No

100

Each

10.0000

1

4

**\*D3943-5\***

\*\*

Plate

*EL 12-5-7*

Location

Loc Qty

Loc Code

*82395X5*

st073

10

69062

4

70026

6

D3943-7

Manufactured No

100

Each

19.0000

2

8

**\*D3943-7\***

\*\*

Stud

*EL 12-5-8*

Location

Loc Qty

Loc Code

st073

12

70027

12

ST074

1

52980

1

WA030

6

69044

6

*83345*

*X 10*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM No.	QTY -041	QTY -051	QTY -053	PART NUMBER	DESCRIPTION	PREFERRED SUPPLIER
1	X			D3943-041	GROUND HANDLING CRANK ASSEMBLY	
5	1	X		D3943-051	HANDLE ASSEMBLY	
6	1		X	D3943-053	CHAIN ASSEMBLY	
11		1		D3943-1	HANDLE	M/F HANDLE FROM DIS-ASSEMBLED ITEM 39
12	1			D3943-3	HANDLE EXTENSION	
13		1		D3943-5	PLATE	
14		2		D3943-7	STUD	
15			1	D3943-9	CHAIN	USE CHAIN SUPPLIED WITH ITEM 39
16			1	D4405-1	EYE AND FORK SWIVEL	
21	1			D2690-4	LANYARD	
22	1			D3585-1	SET SCREW	
23	1			D3949-041	REMOVE BEFORE FLIGHT FLAG	
24			1	D3954-5	CHAIN LUG	
25	1			D3954-7	RATCHET LUG	
26			1	D3954-9	GWT CHAIN PIN	
31	1			AN5-11A	BOLT	
32	1			AN960-516	WASHER	
33	1			MS21042L5	NUT	
39	1			8143919	LEVER CHAIN HOIST (POWER FIST)	PRINCESS AUTO / 4000 lbs CAPACITY
51	1			S-1475	SPRING	REID SUPPLY
52	1			3408A59	BALL PLUNGER	McMASTER CARR
53	1			HX-15	SOCKET HEAD CAP SCREW 1/2-20 UNC X 0.75 LG	HASKINS
54	1			HX-16	SOCKET HEAD CAP SCREW 1/2-20 UNC X 1.0 LG	HASKINS

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT

WITHOUT A  
WORK ORDER  
NO. 78967 M.L.S  
12/01/17

RELEASED  
2011-07-20  
NW

E	CHANGED D3945-3 MAT'L TO SS (B8-5); FINISH NOW "NONE" (A7-5); TAP DRILL FOR 1/4-20 UNF-28 WAS PILOT HOLE NOTE (B1-5). PER PAR11-113.	MB	11.07.27
D	SHT 1 PL, ITEMS 51-54 RENUMBERED SEE PREV. REV. FOR DETAILS. ITEM 16 ADDED (VIEWS UPDATED). SHT 2 ZN D3 FLAG RELOCATED. SHT 3 ZONE D3, Ø0.12 HOLE DELETED. (SEE NCR 11-495)	AJS	11.05.16
C	RMV FINISH -041 (ZN A8-2), ADD NEW FINISH -051/-053/-1/-3 (A8-3/-4/-5), ADD CALIBRATION (A8-2), (1) HX-16 WAS HX-15 (B3-1, C3-1), PAR 10-001	CP	10.01.26
B	SHT 1 PL, ITEM 31 WAS AN4-10A, ITEM 32 WAS AN960-416, ITEM 33 WAS MS21042-4, ITEM 43 WAS 0.75 LG. SHEETS 2 - 5 NOTES: FINISH FOR ALL COMPONENTS NOW YELLOW SPRAY PAINT.	AJS	09.10.15
A	NEW ISSUE	AJS	09.05.13
REV.	DESCRIPTION	BY	DATE
DESIGN	DSTON / AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA  DRAWING NO. D3943 REV. E SHEET 1 OF 5  TITLE GROSS WEIGHT TOW CRANK ASSY SCALE NTS  COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.	N/A		
DATE	11.07.27		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

78967



RELEASED  
2011-07-29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

78967

8 7 6 5 4 3 2 1

D3943-1 HANDLE

2 PL


9.75

2.00

Ø0.31  
THRU

D3943-7 STUD  
2 PL

THREAD 1/4-20 UNC-2B  
THRU



**VIEW A-A** AS-3  
(SCALE 2X) BS-3

2 PL

9.38  
REF

D3943-5 PLATE

**D3943-051 HANDLE ASSEMBLY**

**RELEASED**  
2011-07-28

**NOTES -051:**

- 1) MATERIAL : N/A
- 2) FINISH: POWDER COAT HYBRID SAFETY YELLOW (4.3.5.12) PER DART QSI 005 4.3
- 3) TOLERANCES: X.XX DIMENSIONS +/- 0.06 ALL OTHERS  
PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) MASK ALL THREADS PRIOR TO FINISHING

DESIGN	DSTOW / AJS	<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.		D3943	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.	N/A	GROSS WEIGHT TOW CRANK ASSY	NTS
DATE	11.07.27	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

78967



**D3943-053 CHAIN ASSEMBLY**

**NOTES -053:**

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT HYBRID SAFETY YELLOW (4.3.5.12) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELD PER QSI 004
- 9) MASK CHAIN FROM THIS POINT ON PRIOR TO FINISHING

**RELEASED**  
2011-07-28  
MD

DESIGN	DSTOW / AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	ASS	DRAWING NO.	REV. E
CHECKED	ASS	D3943	SHEET 4 OF 5
MFG. APPR.	MA	TITLE	SCALE
APPROVED	MA	GROSS WEIGHT TOW CRANK ASSY	NTS
DE APPR.	NH	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
DATE	11.07.27	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




78967

8 7 6 5 4 3 2 1



**D3943-3 HANDLE EXTENSION**



**DETAIL B-B C7-5**  
(DIMPLE DETAIL)  
(SCALE 2X)

**NOTES:**

1) MATERIAL -3: AISI 304/316 STAINLESS STEEL SHEET  
ANNEALED 2B FINISH PER MIL-S-5059  
OR AMS 5513 (304) OR AMS 5524 (316)  
OR ASTM A240 OR ASME SA240  
REF DART SPEC M304S  
OR:

AISI 303 STAINLESS STEEL SHEET  
ANNEALED 2B FINISH PER MIL-S-5059  
ASTM A240 OR ASME SA240  
REF DART SPEC M303S


-5: MILD STEEL, SHEET  
AISI 1010-1025 OR ASTM A36/A366/A1008  
OR CSA G40-21, 38W/44W/50W/60W/70W  
REF DART SPEC M1010-S  
OR:

MILD STEEL, BAR  
AISI 1010-1025 OR ASTM A36/A366/A569/A570  
OR CSA G40-21, 38W/44W/50W/60W/70W  
REF DART SPEC M1010-B



-7: MILD STEEL, ROUND BAR  
AISI 1018-1025  
PER MIL-S-7097  
REF DART SPEC M1018-R

2) FINISH: NONE  
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) UNITS: INCHES UNLESS OTHERWISE NOTED  
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX  
6) IDENTIFICATION: N/A

THREAD  $\frac{1}{8}$ -11 UNC-2B



**D3943-5 PLATE**



**D3943-7 STUD**  
(SCALE 2X)

**RELEASED**  
2011-07-28

DESIGN	DSTOW / AJS	<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	AS	DRAWING NO.	REV. E
MFG. APPR.		D3943	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		GROSS WEIGHT TOW CRANK ASSY	NTS
DATE	11.07.27	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries